





CARLINA



jacquards

It is a fabric with woven patterns manufactured using a particular machine that allows controlling many threads separately, which means diversifying multicoloured patterns on a large surface can be created.

FLAME RETARDANT (FR) polyester 100%

| standard | version | flame retardant (FR) |
|--|---|----------------------------|
| I | price group | I |
| 370 | weight (g/m²) | 500 |
| 60 000 | martindale abrasion resistance EN ISO 12947-2 | >50 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4 |
| 4-5 | colour fastness to light EN ISO 12947-2 | 4 |
| | care instruction | |
| durable washable water repellent | special features* | durable water repellent |






^{*}Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time. Washable according to graphic instruction.

Water repellent fabric is covered with a special protective coating, forming a water repellent layer that prevents rapid fluid seepage.











1 light grey

2 light beige

3 blue-grey

4 grey





5 grey-black

6 anthracite

ARYA



flat woven

Upholstery fabrics manufactured from simple fibres, without hair, of rough natural texture creating a smooth, uniform layer.

FLAME RETARDANT (FR) polyester 100%

| standard | version | flame retardant (FR) |
|---------------------|---|----------------------|
| I | price group | II |
| 400 | weight (g/m²) | 400 |
| 48 000 | martindale abrasion resistance EN ISO 12947-2 | 48 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 4 | colour fastness to light EN ISO 12947-2 | 4 |
| 407 🖄 🖾 🗷 🕑 | care instruction | 407 🖄 🖾 🗷 🕑 |
| durable washable | special features* | durable washable |

^{*}Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time. Washable according to graphic instruction.





1 grey-beige 2 light grey 3 beige 4 mustard 5 orange 6 cognac 7 camel 8 khaki 9 dark blue 10 grey

There are possible shade differences between production series.

ATROPA



chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness. It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing

FLAME RETARDANT (FR)
acrylic 48%, polyester 41%, cotton 11%

| standard | version | flame retardant (FR) |
|----------|---|----------------------|
| II | price group | II |
| 414 | weight (g/m²) | 512 |
| 25 000 | martindale abrasion resistance EN ISO 12947-2 | 25 000 |
| 3-4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 3-4 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| washable | special features* | - |



^{*} Washable according to graphic instruction.





green

There are possible shade differences between production series.

CALEIDO



smooth natural

Upholstery fabric manufactured from simple fibres, without hair, of rough natural texture, creating a smooth, uniform layer. It is made of linen, cotton, or viscose or a mixture of these fibres with a small number of synthetic ones.

COMPOSITION cotton 63%, linen 37%



| standard | version | flame retardant (FR) |
|---------------------|---|--|
| II | price group | II |
| 380 | weight (g/m²) | |
| 32 500 | martindale abrasion resistance EN ISO 12947-2 | |
| 4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | |
| 4-5 | colour fastness to light EN ISO 12947-2 | |
| | care instruction | |
| washable natural | special features* | Meets the 1988 safety regulations by inclusion of a fire resistant interliner. |



^{*} Washable according to graphic instruction; washing only on the left side.

Natural more than 75% of natural fibres.





There are possible shade differences between production series.

KING



chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

FLAME RETARDANT (FR) polyester 100%



| standard | version | flame retardant (FR) |
|---------------------|---|----------------------|
| I | price group | II |
| 350 | weight (g/m²) | 460 |
| 50 000 | martindale abrasion resistance EN ISO 12947-2 | 50 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| durable washable | special features* | durable |

^{*}Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time. Washable according to graphic instruction above.





1 natural 2 beige 3 brown 4 grey-beige 5 light grey 6 dark grey 7 anthracite

There are possible shade differences between production series.

NANCY



jacquards

It is a fabric with woven patterns manufactured using a particular machine that allows controlling many threads separately, which means diversifying multicoloured patterns on a large surface can be created.

FLAME RETARDANT (FR) acrylic 46%, polyester 44%, cotton 10%



| standard | version | flame retardant (FR) |
|----------------------------|---|----------------------|
| II | price group | II |
| 493 | weight (g/m²) | 600 |
| 40 000 | martindale abrasion resistance EN ISO 12947-2 | 40 000 |
| 5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 5 |
| ≥5 | colour fastness to light EN ISO 12947-2 | ≥5 |
| \otimes \leq \otimes | care instruction | |
| durable washable | special features* | durable |

^{*}Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time. Washable according to graphic instruction.





1 natural 2 beige 3 yellow 4 copper brown 5 vintage red 6 green 7 blue 8 light grey 9 grey 10 black

There are possible shade differences between production series.

TULIP



chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

FLAME RETARDANT (FR) polyester 100%



| standard | version | flame retardant (FR) |
|---|---|----------------------|
| II | price group | II |
| 310 | weight (g/m²) | 380 |
| 30 000 | martindale abrasion resistance EN ISO 12947-2 | 30 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| $\underline{\underline{w}} \times \underline{\boxtimes} \underline{\partial} \underline{P}$ | care instruction | |
| washable | special features* | - |

*Washable according to graphic instruction.









11 dark grey

VIOLA



flat woven

Upholstery fabrics manufactured from simple fibres, without hair, of rough natural texture creating a smooth, uniform layer.

FLAME RETARDANT (FR) polyester 39%, polypropylene 35%, acrylic 26%



| standard | version | flame retardant (FR) |
|---|---|----------------------|
| II | price group | II |
| 425 | weight (g/m²) | 540 |
| 40 000 | martindale abrasion resistance EN ISO 12947-2 | 45 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| $\underline{\underline{w}}$ $\underline{\underline{w}}$ $\underline{\underline{w}}$ | care instruction | |
| durable washable | special features* | durable |

^{*}Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time. Washable according to graphic instruction.









11 grey-brown

12 grey-beige





smooth natural



Upholstery fabric manufactured from simple fibres, without hair, of rough natural texture, creating a smooth, uniform layer.

It is made of linen, cotton, or viscose or a mixture of these fibres with a small number of synthetic ones.

COMPOSITION cotton 63%, linen 37%

| standard | version | flame retardant (FR) |
|---------------------|---|--|
| III | price group | III |
| 380 | weight (g/m²) | |
| 32 500 | martindale abrasion resistance EN ISO 12947-2 | |
| 4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | |
| 4-5 | colour fastness to light EN ISO 12947-2 | |
| | care instruction | |
| natural washable | special features* | Meets the 1988 safety regulations by inclusion of a fire resistant interliner. |

*Natural – more than 75% of natural fibres.

Washable according to graphic instruction; washing only on the left side.







There are possible shade differences between production series.

ELYOT



chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

FLAME RETARDANT (FR) acrylic 52%, polyester 41%, viscose 7%



| standard | version | flame retardant (FR) |
|---------------------|---|----------------------|
| II | price group | III |
| 384 | weight (g/m²) | 540 |
| 90 000 | martindale abrasion resistance EN ISO 12947-2 | 90 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| durable washable | special features* | durable |

^{*}Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time. Washable according to graphic instruction above.











5 vintage red



2 greige



6 green



3 beige



7 blue



8 grey

4 mustard

There are possible shade differences between production series.

IVY

C R O M E

chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

FLAME RETARDANT (FR) rolefin 93%, poliester 7%



| standard | version | flame retardant (FR) |
|--|---|---|
| III | price group | III |
| 420 | weight (g/m²) | 550 |
| 30 000 | martindale abrasion resistance EN ISO 12947-2 | 30 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| $\underline{\underline{w}} \land \underline{\boxtimes} \overrightarrow{A} \boxtimes$ | care instruction | $\boxtimes \triangle \boxtimes A \boxtimes$ |
| eco friendly washable recycled | special features* | eco friendly recycled |

Every sofa can save 250 liters of water with Rolefin.

Rolefin is a textile-recycled olefin yarn developed to produce furniture fabrics a Zero Water Consumption during the production process. The yarn/fabric is converted from pre-consumer textile wastes consisting of by-product materials from fiber, yarn and fabrics.

ROLEFIN has all the FOLLOWING features:

- · Zero Water Consumption During Production Processes
- · Made of Textile Wastes- Recycled
- · Recyclable (up to 7 times)
- · Contains No Harmful Chemicals
- · Energy Efficient
- · Low CO Footprint 2
- · Certified by Recycled Claim Standard 2.0



*Eco friendly All materials are biodegradable, recyclable. All waste are recycled. Energy and water consumption are minimised. No toxic products during production.

Washable according to graphic instruction.

Recycled recycled materials









11 dark grey

MALVA



other smooth

Upholstery fabric manufactured from simple fibres, without hair, of rough natural texture, creating a smooth, uniform layer. It is made of polyester, acryl, polyamide, acetate, or a mixture of these fibres with natural ones.

FLAME RETARDANT (FR)

wool 70%, polyester 20%, acrylic 5%, polyamide 5%

| standard | version | flame retardant (FR) |
|----------|---|----------------------|
| III | price group | III |
| 350 | weight (g/m²) | 350 |
| 100 000 | martindale abrasion resistance EN ISO 12947-2 | 100 000 |
| 5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 5 |
| 4-5 | colour fastness to light EN ISO 12947-2 | 4-5 |
| | care instruction | |
| durable | special features* | durable |

^{*}Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time.





1 beige 2 yellow 3 light brown 4 orange 5 turquoise 6 green 7 light grey 8 dark grey

There are possible shade differences between production series.

PARIS




chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

FLAME RETARDANT (FR) acrylic 55%, poliester 39%, cotton 6%

| standard | version | flame retardant (FR) |
|--|---|----------------------|
| III | price group | III |
| 487 | weight (g/m²) | 530 |
| 30 000 | martindale abrasion resistance EN ISO 12947-2 | 30 000 |
| 3-4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 3-4 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| $\mathbb{Z} \otimes \mathbb{Z} \otimes \mathbb{P}$ | care instruction | |
| washable | special features* | - |







POODLE



faux sheepskin

Poodle is something like faux sheepskin, so it can be compared with well-known plush fabric, which is soft and evanculous. A typical feature of that fabric is the irregular fluffy texture that gives it unique nature.

FLAME RETARDANT (FR) polyester 100%





| standard | version | flame retardant (FR) |
|----------|---|----------------------|
| II | price group | III |
| 550 | weight (g/m²) | 550 |
| >50 000 | martindale abrasion resistance EN ISO 12947-2 | >50 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| >5 | colour fastness to light EN ISO 12947-2 | >5 |
| | care instruction | |
| durable | special features* | durable |



1 cream

1


2 light grey





3 beige

4 ash







1 natural 2 grey-beige 3 light turquoise

6 anthracite

5 grey



SNEAK



chenille

Technically advanced upholstery fabrics made out of chenille fibres, consisted of two simple twisted-together threads - between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature for the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

FLAME RETARDANT (FR) polyester 100%

| standard | version | flame retardant (FR) |
|---------------------|---|----------------------|
| II | price group | III |
| 370 | weight (g/m²) | 370 |
| 38 000 | martindale abrasion resistance EN ISO 12947-2 | 38 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 4-5 | colour fastness to light EN ISO 12947-2 | 4-5 |
| | care instruction | |
| durable washable | special features* | durable washable |

^{*}Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time. Washable according to graphic instruction.



4 light grey



1 light beige 3 grey brown 4 greige 5 ocean blue 6 cream 7 soft brown 8 sunny yellow 9 forest green 10 dark grey

There are possible shade differences between production series.

TIMBER



chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

FLAME RETARDANT (FR) polyester 86%, cotton 14%



| standard | version | flame retardant (FR) |
|------------------------------------|---|----------------------|
| III | price group | III |
| 358 | weight (g/m²) | 396 |
| 80 000 | martindale abrasion resistance EN ISO 12947-2 | 80 000 |
| 4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| @ & \ \ \ \ \ \ \ \ \ \ | care instruction | ™×⊠≥© durable |
| durable washable | special features* | washable |

^{*}Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time. Washable according to graphic instruction.







1 light grey 2 dark grey 3 dark blue 4 dark green 5 orange 6 mustard 7 powder pink 8 grey 9 turquoise

There are possible shade differences between production series.

BELLIS



velours

Elegant upholstery fabrics are most frequently produced in manufacturing two-layer knitted fabric, intertwining the layers with fibres creating a tick mesh, and then cutting up both layers. In this way, each of the layers has a thick fleece. The most recognizable feature of velour is its very high strength - at the same time, it gives a pleasant touch feeling.

FLAME RETARDANT (FR) polyester 100%









| standard | version | flame retardant (FR) |
|--------------------------------------|---|--------------------------|
| IV | price group | IV |
| 404 | weight (g/m²) | 404 |
| >100 000 | martindale abrasion resistance EN ISO 12947-2 | >100 000 |
| 5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| $\underline{\underline{w}}$ | care instruction | |
| durable washable easy to clean | special features* | durable easy to clean |

Fabric you can clean with just water.

Enjoy the everyday comfort provided by Aquaclean® Technology. Now you can get ridof small stains such as wine, coffee and food without having to wash with soap or detergent. Aquaclean® Technology is so effective that even stains from most marker pens comes off with just water!

Regular maintenance instructions.

For normal sofa maintenance we recommend that you vacuum the entire surface area regularly. You can use a normal home vacuum cleaner with a brush fitting.



Water cleaning in three simple steps:



Remove any excess residue on the upholstery by careful scraping of the stain surface. (Make sure not to use a sharp object to prevent ripping the fabric).



Apply water over the stain, either directly or using a damp cloth. Wait a few seconds.



Press down over the stain with a damp cloth and rub gently over the fabric in circular movements. If the stain does not come off completely, repeat the process as required.

*Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time. Easy to clean an easy way to remove a stain - suffice rub with a damp cloth and soapy water Washable according to graphic instruction.





1 cream 2 teddy brown 3 warm yellow 4 pale orange 5 warm red 6 green 7 blue 8 grey 9 midnight blue

There are possible shade differences between production series.

BLOOM



chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

FLAME RETARDANT (FR) polyester 100%

| standard | version | flame retardant (FR) |
|------------------------------------|---|----------------------|
| III | price group | IV |
| 643 | weight (g/m²) | 707 |
| 80 000 | martindale abrasion resistance EN ISO 12947-2 | 80 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| 307X\\ \alpha \alpha \end{aligned} | care instruction | |
| durable washable | special features* | durable |

^{*}Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time. Washable according to graphic instruction.







There are possible shade differences between production series.

BUDDY



flat woven

Upholstery fabrics manufactured from simple fibres, without hair, of rough natural texture creating a smooth, uniform

FLAME RETARDANT (FR) polyester 51%, acrylic 38%, polyamide 11%





The fabric without FR back coating.





| standard = FR | version | flame retardant (FR) |
|--|---|--|
| IV | price group | IV |
| 395 | weight (g/m²) | 395 |
| >200 000 | martindale abrasion resistance EN ISO 12947-2 | >200 000 |
| 5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 5 |
| 6 | colour fastness to light EN ISO 12947-2 | 6 |
| | care instruction | |
| durable washable easy to clean eco friendly pets friendly safe front | special features* | durable washable easy to clean eco friendly pets friendly safe front |


Fabric you can clean with just water.



Safe Front® Technology

Aquaclean® Safe Front® technology protects against viruses and bacteria, effectively reducing their activity and limiting their penetration into the fabric. The join formula has been totally effective after multiple washes

Safe Front® is a powerful permanent barrier against external agents that is applied as standard in the fabric manufacturing proces, so there is no need for external disinfecting or sanitizing agents.



With Aquaclean Extreme fabrics, you can enjoy your sofa and your pet any time, because this fabric incorporates a protective layer developed with innovative technology that acts as a flexible, elastic barrier to block fabric loops and prevent accidental snagging.

Water cleaning in three simple steps:



Remove any excess residue on the upholstery by careful scraping of the stain surface. (Make sure not to use a sharp object to prevent ripping the fabric).



Press down over the stain with a damp cloth and rub gently over the fabric in circular movements. If the stain does not come off completely, repeat the process as required.



Apply water over the stain, either directly or using a damp cloth. Wait a few seconds.







*Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time. Washable according to graphic instruction

Easy to clean an easy way to remove a stain - suffice rub with a damp cloth and soapy water.

Eco friendly all materials are biodegradable, recyclable. All waste are recycled. Energy and water consumption are minimised. No toxic products during production.

Pets friendly scratch resisance and easy removal of hair from a smooth surfance.

Safe front protects against viruses and bacteria.






1 natural 2 beige 3 grey-beige 4 khaki-green

6 grey

5 blue



There are possible shade differences between production series.

CALYPSO



jacquards

It is a fabric with woven patterns manufactured using a particular machine that allows controlling many threads separately, which means diversifying multicoloured patterns on a large surface can be created.

FLAME RETARDANT (FR)

polyester 68%, modacrylic 22%, cotton 10%





The fabric without FR back coating.





| standard = FR | version | flame retardant (FR) |
|--|---|--|
| IV | price group | IV |
| 482 | weight (g/m²) | 482 |
| 60 000 | martindale abrasion resistance EN ISO 12947-2 | 60 000 |
| 5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 5 |
| 4- 5 | colour fastness to light EN ISO 12947-2 | 4- 5 |
| $\underline{\mathfrak{P}} \times \mathbf{X} \times \underline{\mathfrak{P}}$ | care instruction | $\underline{\mathbb{P}} \times \mathbf{Z} \times \underline{\mathbb{P}}$ |
| easy to clean durable eco friendly washable | special features* | easy to clean durable eco friendly washable |

Fabric you can clean with just water.

Enjoy the everyday comfort provided by Aquaclean® Technology. Now you can get ridof small stains such as wine, coffee and food without having to wash with soap or detergent. Aquaclean® Technology is so effective that even stains from most marker pens comes off with just water!

Regular maintenance instructions.

For normal sofa maintenance we recommend that you vacuum the entire surface area regularly. You can use a normal home vacuum cleaner with a brush fitting.



Water cleaning in three simple steps:

Remove any excess residue on the upholstery by careful scraping of the stain surface. (Make sure not to use a sharp object to prevent ripping the fabric).



Apply water over the stain, either directly or using a damp cloth. Wait a few seconds.



Press down over the stain with a damp cloth and rub gently over the fabric in circular movements. If the stain does not come off completely, repeat the process as required.

*Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time. Washable according to graphic instruction

Easy to clean an easy way to remove a stain - suffice rub with a damp cloth and soapy water. Eco friendly all materials are biodegradable, recyclable. All waste are recycled. Energy and water consumption are minimised.

No toxic products during production.

Pets friendly scratch resisance and easy removal of hair from a smooth surfance.

Safe front protects against viruses and bacteria.






CLASSIC VELVET



velours

Elegant upholstery fabrics are most frequently produced in manufacturing two-layer knitted fabric, intertwining the layers with fibres creating a tick mesh, and then cutting up both layers. In this way, each of the layers has a thick fleece. The most recognizable feature of velour is its very high strength - at the same time, it gives a pleasant touch feeling.

FLAME RETARDANT (FR) polyester 100%



| standard | version | flame retardant (FR) |
|---------------------|---|----------------------|
| III | price group | IV |
| 480 | weight (g/m²) | 590 |
| 100 000 | martindale abrasion resistance EN ISO 12947-2 | 100 000 |
| 4/5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4/5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| durable washable | special features* | durable |

^{*}Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time. Washable according to graphic instruction.





O1 creme O2 beige 11 light brown 12 brown 63 violet 40 turquoise 54 grey 55 black

There are possible shade differences between production series.

DROM



chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

FLAME RETARDANT (FR)
polyester 75%, polypropylene 25%





| standard | version | flame retardant (FR) |
|--|---|-------------------------|
| III | price group | IV |
| 432 | weight (g/m²) | 475 |
| 61 000 | martindale abrasion resistance EN ISO 12947-2 | 61 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 5-6 | colour fastness to light EN ISO 12947-2 | 5-6 |
| | care instruction | |
| durable easy to clean eco friendly washable | special features* | durable eco friendly |

*Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time.

Easy to clean an easy way to remove a stain - suffice rub with a damp cloth and soapy water.

Eco friendly all materials are biodegradable, recyclable. All waste are recycled. Energy and water consumption are minimised.

No toxic products during production.

Washable according to graphic instruction.





1 natural 2 light beige 3 beige 4 light brown 5 copper brown 6 olive brown 7 mustard green 8 steel grey

There are possible shade differences between production series.

HEATHER



bouclé

Bouclé is both a yarn and a fabric made from it. The yarn is made from length loops of similar size that range from tiny circlets to large curls. It is nubby fabric - to make bouclé, at least two strands are combined, with the tension on one strand being much looser than the other as being connected to its plies. Loose strands form loops; the other strand is an anchor for the previous one. Bouclé is also a name of the fabric produce from this type of yarn, especially fabric that maintains the looped appearance.

FLAME RETARDANT (FR)
modacrylic 68%, polyester 29%, viscose 3%



| standard | version | flame retardant (FR) |
|---------------------|---|----------------------|
| III | price group | IV |
| 580 | weight (g/m²) | 650 |
| 50 000 | martindale abrasion resistance EN ISO 12947-2 | 50 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| durable washable | special features* | durable |

^{*}Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time. Washable according to graphic instruction.





1 natural 2 gold beige 3 grey-beige 4 yellow 5 orange 6 green 7 jeans blue 8 light grey 9 dark grey

There are possible shade differences between production series.

IRIS



flat woven

Upholstery fabrics manufactured from simple fibres, without hair, of rough natural texture creating a smooth, uniform layer.

FLAME RETARDANT (FR) acrylic 65%, polyester 20%, viscose 11%, linen 4%



| standard | version | flame retardant (FR) |
|---------------------|---|----------------------|
| III | price group | IV |
| 700 | weight (g/m²) | 840 |
| 95 000 | martindale abrasion resistance EN ISO 12947-2 | 50 000 |
| 4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| durable washable | special features* | durable |

^{*}Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time. Washable according to graphic instruction.







There are possible shade differences between production series.

LILAC



chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness. It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

FLAME RETARDANT (FR)
polyester 73%, modacrylic 19%, cotton 8%









The fabric without FR back coating.

| standard = FR | version | flame retardant (FR) |
|--|---|--|
| IV | price group | IV |
| 421 | weight (g/m²) | 421 |
| 60 000 | martindale abrasion resistance EN ISO 12947-2 | 60 000 |
| 5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | $\underline{\mathbb{Z}} \boxtimes \boxtimes \underline{\mathbb{Z}} \mathbb{D}$ |
| easy to clean durable eco friendly washable | special features* | easy to clean durable eco friendly washable |

Fabric you can clean with just water.

Enjoy the everyday comfort provided by Aquaclean® Technology. Now you can get ridof small stains such as wine, coffee and food without having to wash with soap or detergent. Aquaclean® Technology is so effective that even stains from most marker pens comes off with just water!

Regular maintenance instructions.

cleau

For normal sofa maintenance we recommend that you vacuum the entire surface area regularly. You can use a normal home vacuum cleaner with a brush fitting.



Remove any excess residue on the upholstery by careful scraping of the stain surface. (Make sure not to use a sharp object to prevent ripping the fabric).

Water cleaning in three simple steps:




Apply water over the stain, either directly or using a damp cloth. Wait a few seconds.



Press down over the stain with a damp cloth and rub gently over the fabric in circular movements. If the stain does not come off completely, repeat the process as required.


Easy to clean an easy way to remove a stain - suffice rub with a damp cloth and soapy water.

Eco friendly all materials are biodegradable, recyclable. All waste are recycled. Energy and water consumption are minimised. No toxic products during production.





^{*}Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time. Washable according to graphic instruction







11 green

MALIBU VELVET



velours

Elegant upholstery fabrics are most frequently produced in manufacturing two-layer knitted fabric, intertwining the layers with fibres creating a tick mesh, and then cutting up both layers. In this way, each of the layers has a thick fleece. The most recognizable feature of velour is its very high strength - at the same time, it gives a pleasant touch feeling.

FLAME RETARDANT (FR) polyester 67%, cotton 33%

| standard | version | flame retardant (FR) | |
|---------------------|---|----------------------|--|
| IV | price group | IV | |
| 425 | weight (g/m²) | 520 | |
| 70 000 | martindale abrasion resistance EN ISO 12947-2 | 70 000 | |
| 4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4 | |
| 5 | colour fastness to light EN ISO 12947-2 | 5 | |
| | care instruction | | |
| durable washable | special features* | durable | |

^{*}Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time. Washable according to graphic instruction.







1 mustard



7 cold beige

6 natural




13 blue



2 dark green





9 light brown



4 dark brown

10 light grey





12 anthracite

5 dark grey



14 dark blue

MOSS

chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

Corduroy is a fabric made with ribs. That fabric consists of three separate yarns woven together. The two primary yarns create a plain or a twill weave, and the third yarn intersperses into this weave in the filling direction, forming floats that pass over at least four warp yarns.

FLAME RETARDANT (FR)

polyester 47%, acrylic 36%, wool 9%, viscose 8%



| standard | version flame retardant (FI | |
|--|---|--------|
| III | price group | IV |
| 476 | weight (g/m²) | 550 |
| 25 000 | martindale abrasion resistance EN ISO 12947-2 | 25 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| $\underline{\underline{w}} \times \underline{\boxtimes} \underline{\partial} \underline{\underline{\theta}}$ | care instruction | |
| washable | special features* | - |

*Washable according to graphic instruction.











5 turquoise



2 light grey



6 ocean blue



3 grey-beige



7 green

There are possible shade differences between production series.

4 light turquoise

NORI

chenille



Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

FLAME RETARDANT (FR)

recycled polyester 64%, seaqual upcycled yarn 36%



| standard | version | flame retardant (FR) |
|--|---|----------------------|
| IV | price group | IV |
| 503 | weight (g/m²) | 600 |
| 50 000 | martindale abrasion resistance 50 000 EN ISO 12947-2 | |
| 4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| 307 🖄 🖾 🔁 🕑 | care instruction | @K\\\ |
| easy to clean durable eco friendly washable recycled | ble special features* durable endly eco friendly able recycled | |

The beauty of, sustainable, everyday products made from upcycled marine plastic.

SEAQUAL INITIATIVE works with NGOs, fishermen, authorities and local communities to help clean our oceans. Marine litter from our beaches, ocean floor and surface, rivers and estuaries, is collected by clean-up programs. It is then sorted into different material types and the plastic portion is cleaned and transformed into Upcycled Marine Plastic. Environmentally conscious brands and manufacturers then transform this new, fully- traceable raw material into inspiring sustainable products for every aspect of our lives. Consumer purchasing power is one of the most powerful tools for change. In choosing products containing Upcycled Marine Plastic, you are helping to clean our oceans.



INITIATIVE

TOGETHER FOR A CLEAN OCEAN.

*Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time. Easy to clean an easy way to remove a stain - suffice rub with a damp cloth and soapy water.

Eco friendly all materials are biodegradable, recyclable. All waste are recycled. Energy and water consumption are minimised. No toxic products during production.

Washable according to graphic instruction.

Recycled recycled materials.







There are possible shade differences between production series.

SKY

chenille



Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

FLAME RETARDANT (FR)

recycled polyester 94%, recycled cotton 6%



| standard | version | flame retardant (FR) |
|--|---|--|
| IV | price group | IV |
| 697 | weight (g/m²) | 735 |
| >100 000 | martindale abrasion resistance EN ISO 12947-2 | >100 000 |
| 5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| $\overline{w} \not \succeq \overline{Q} \not \supseteq \overline{P}$ | care instruction | @\$\\\ |
| washable durable eco friendly recycled easy care | special features* | durable eco friendly recycled easy care |

SKY is part of our greencare range:

100% RECYCLED and recyclable fabrics.

Sky is made of 100% recycled waste, including upcycled cotton from garments and recycled PET from waste. Recycled PET is converted into yarns. This way we create this eco-friendly upholstery fabric. Ultimately these recycled yarns are transformed into soft, beautiful, recycled fabrics.

from PET to fabric -





Post-consumer PET bottles are collected from the ocean by fishermen or originate from different households.



Flakes

to pellets.

Those used PRT bottles are sorted by color and then transformed into flakes.

Once the flakes are sorted, they are melted





Next in this recycling process, these pellets are spun into yarn.



Here is where we step in create our ecological Greencare fabrics from recycled yarn.

*Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time. Easy to clean an easy way to remove a stain - suffice rub with a damp cloth and soapy water.











There are possible shade differences between production series.

TOGO



jacquards


It is a fabric with woven patterns manufactured using a particular machine that allows controlling many threads separately, which means diversifying multicoloured patterns on a large surface can be created.

FLAME RETARDANT (FR)

polyester 39%, acrylic 39%, cotton 14%, wool 8%

| standard | version | flame retardant (FR) |
|--|---|--------------------------|
| IV | price group | IV |
| 548 | weight 685 | |
| 35 000 | martindale abrasion resistance EN ISO 12947-2 | 35 000 |
| 4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| durable easy to clean eco friendly | special features* | durable easy to clean |

Eco friendly all materials are biodegradable, recyclable. All waste are recycled. Energy and water consumption are minimised. No toxic products during production.



washable



^{*}Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time.

Easy to clean an easy way to remove a stain - suffice rub with a damp cloth and soapy water.

Easy transfer are provided Energy and water consumption are minimised.



1 natural 2 beige 3 light brown 4 brown 5 black-white 6 blue 7 turquoise

TWEEDY



jacquards

It is a fabric with woven patterns manufactured using a particular machine that allows controlling many threads separately, which means diversifying multicoloured patterns on a large surface can be created.

FLAME RETARDANT (FR)

cotton 42%, viscose 22%, acrylic 20%,linen 8%, polyester 8%

| standard | version flame retardant | |
|----------|---|---------|
| IV | price group | IV |
| 614 | weight 706 | |
| 35 000 | martindale abrasion resistance EN ISO 12947-2 | 35 000 |
| 4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| durable | special features* | durable |

^{*}Durable fabric is made, using the most appropriate materials and processes to produce upholstery that remains to be in mint condition over time.







1 cream



6 nude



11 grey



2 cold beige



7 pale rust



12 midnight blue





4 caramel

9 raspeberry pink



8 dusty pink



13 forest green

WILDFLOWER



chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

FLAME RETARDANT (FR) polyester 93%, linen 7%

| standard | version | flame retardant (FR) |
|-------------|---|----------------------|
| III | price group | IV |
| 464 | weight (g/m²) | 557 |
| 25 000 | martindale abrasion resistance EN ISO 12947-2 | 25 000 |
| 4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4 |
| 4 | colour fastness to light EN ISO 12947-2 | 4 |
| 307 ★ 🛛 🗷 P | care instruction | |
| washable | special features* | - |


*Washable according to graphic instruction.



5 warm yellow

10 light grey





white light brown dark brown granit dark grey light grey black

espresso

MATRIX



leather

Leather has specific features: such as texture, variations of hues, slight scratches, scars, pricks, and other marks that appeared before the process of tanning, which proves its natural origin. Furniture leathers are available in a few sorts that differ one one from another, with thickness, finishing method, softness, and texture, which is palpable.

REGULAR USE OF LEATHER FURNITURE

A natural process that accompanies the use of leather furniture is the appearance of folds, creases, and shining. An absolutely natural feature is the folds of back and seat pads. This process depends upon the insensitivity and quality of furniture use. It is recommendable to use all seats as evenly as possible to minimise the effects of that process.

LEATHER PROTECTION

Leather protection long-lasting good appearance of a piece of leather furniture depends on the conditions in which furniture is using. What negatively influences the leather is high temperature, dry air, and direct exposure to harsh sunbeams. Such conditions are bound to shorten the life span of leather upholstery. The minimum distance between a piece of furniture and a source of heat should be 30 cm.

LEATHER MAINTENANCE AND CLEANING

Leather furniture requires regular care. The method and frequency of cleaning, maintenance, and using intensity depend on the degree of soil. At least once per 6 months leather surface needs to be cleaned with a special preparation or with water and soft potash soap. It also needs to be maintained with a dedicated agent designed for leather care. Proper care and correct usage extend its perfect looks for many, many years.





1 light beige 2 white 3 grey-beige 4 stone 5 dark grey 6 black 7 brown 8 cognac 9 dark brown

TOUCH



leather

Leather has specific features: such as texture, variations of hues, slight scratches, scars, pricks, and other marks that appeared before the process of tanning, which proves its natural origin. Furniture leathers are available in a few sorts that differ one one from another, with thickness, finishing method, softness, and texture, which is palpable.

REGULAR USE OF LEATHER FURNITURE

A natural process that accompanies the use of leather furniture is the appearance of folds, creases, and shining. An absolutely natural feature is the folds of back and seat pads. This process depends upon the insensitivity and quality of furniture use. It is recommendable to use all seats as evenly as possible to minimise the effects of that process.


LEATHER PROTECTION

Leather protection long-lasting good appearance of a piece of leather furniture depends on the conditions in which furniture is using. What negatively influences the leather is high temperature, dry air, and direct exposure to harsh sunbeams. Such conditions are bound to shorten the life span of leather upholstery. The minimum distance between a piece of furniture and a source of heat should be 30 cm.

LEATHER MAINTENANCE AND CLEANING

Leather furniture requires regular care. The method and frequency of cleaning, maintenance, and using intensity depend on the degree of soil. At least once per 6 months leather surface needs to be cleaned with a special preparation or with water and soft potash soap. It also needs to be maintained with a dedicated agent designed for leather care. Proper care and correct usage extend its perfect looks for many, many years.





1 latte 2 cognac 3 dark brown 4 natural 5 sand 6 opal 7 grey 8 black

There are possible shade differences between production series.

ANILINE



leather

Characteristic Pure Aniline is doubtlessly one of the softest leathers to the touch. It owes that feature to the finest selection of raw hides. It is a very exclusive product - only about 5% of upholstered furniture sold today is in it. This leather naturally breaths well - what makes even sitting for extended periods is comfortable from a touch and temperature perspective.

Aniline leather is the most natural leather, with the unique surface characteristics of the hide remaining visible. It is coloured only with dye and not with a surface coating of polymer and pigment. Furthermore, applying the colour leather process is as follows: the dye penetrating the leather and extending beyond the surface into the leather. The stains using in that process are clear and free from chemicals that allow the grain structure of the leather to be well visible. These dyes show the natural texture of the material. Unfortunately, they do not protect the leather from damages. These hides will exhibit some natural features, such as healed scars, scratches, neck and belly wrinkles, which gives them an original look. There are colour differences - between the swatches to the very same leather - it is because leather is a natural product and will absorb dyes differently within the hide and from hide to hide. This leather will develop a rich patina of wealth over time. Additionally, it will fade with prolonged exposure to sunlight. Due to the natural character of the leather, it is more exposed to dirt and stains - to prevent that process, you should regularly wipe it.

Regular use of leather furniture A natural process that accompanies using leather furniture is the appearance of folds, creases, and shining. An absolutely natural feature is the folds of back and seat pads. This process depends upon the insensitivity and quality of furniture use. It is recommendable to use all seats as evenly as possible to minimise the effects of that process.

Leather protection The long-lasting good appearance of a piece of leather furniture depends on the conditions in which furniture is using. What negatively influences the leather is high temperature, dry air, and direct exposure to harsh sunbeams. Such conditions are bound to shorten the life span of leather upholstery. The minimum distance between a piece of furniture and a source of heat should be 30 cm.



FLAME RETARDANT VERSION

| | | CARE | MARTIN- | PRICE | * CONFIDENCE |
|------------------|---|--|----------|-------|--|
| FABRIC | COLOR | INSTRUCTION | DALE | GROUP | Tested for harmful substances occarding to Okio-Test Standard 100 00000000 histilius |
| Carlina | 1 l. grey, 2 grey-beige, 3 d. grey, 4 steel, 5 brown-grey, 6 coral | | >50 000 | l | |
| Arya | 1 l.grey, 2 l.beige, 3 blue-grey, 4 grey, 5 grey-black, 6 anthracite | | 48 000 | II | |
| Atropa | 1 grey-beige, 2 l. grey, 3 beige, 4 mustard, 5 orange, 6 cognac, 7 camel, 8 khaki, 9 d. blue, 10 grey | 95084B | 25 000 | II | |
| Caleido | 1420 white, 1419 natural, 3790 l. beige, 10996 grey-beige, 2994 l. brown, 3899 beige, 3693 d. brown, 2990 powder pink, 1497 l.grey, 10997 grey, 2934 d. grey, 11896 sand yellow, 12025 yellow, 12022 l. coral, 3644 coral, 9881 grey-green, 11900 emerald green, 11980 jeans blue, 1988 indygo blue | natural fabric | 32 500 | II | |
| King | 1 natural, 2 beige, 3 potato, 4 light grey, 5 grey-beige, 6 grey, 7 light blue, 8 light turquoise, 9 dark blue, 10 black-white | | 50 000 | II | |
| Nancy | 1 natural, 2 beige, 5 l. grey, 4 grey-beige, 3 brown, 6 d. grey, 7 anthracite | | 40 000 | II | |
| Tulip | 1 natural, 2 beige, 3 yellow, 4 copper brown, 5 vintage red, 6 green, 7 blue, 8 l. grey, 9 grey, 10 black | | 30 000 | II | |
| Viola | 1 natural, 2 beige, 3 brown-grey, 4 orange, 5 mustard, 6 green, 7 blue, 8 d. blue, 9 steel, 10 grey-beige, 11 d. grey | 28 28 | 45 000 | II | |
| Caleido Stampato | 1 natural, 2 beige, 3 camel, 4 cool beige, 5 olive-grey, 6 olive, 7 turquoise, 8 l.blue, 9 d.blue, 10 steel, 11 grey-brown, 12 grey-beige | natural fabric | | III | |
| Elyot | 1 natural, 2 l.brown, 3 brown, 4 salmon, 5 vintage red, 6 orange, 7 mustard, 8 green, 9 l.turquise, 10 turguise, 11 d.blue, 12 l.grey, 13 grey-beige, 14 grey | | 90 000 | III | |
| lvy | 1 grey-beige, 2 greige, 3 beige, 4 mustard, 5 vintage red, 6 green, 7 blue, 8 grey | | 30 000 | III | ROLEFIN RECYCLES YARN |
| Malva | 1 beige, 2 l.brown, 3 brown, 4 yellow, 5 orange, 6 l.green, 7 turquoise, 8 ash turquoise, 9 l.grey, 10 grey, 11 d.grey | | 100 000 | III | |
| Paris | 1 beige, 2 yellow, 3 l. brown, 4 orange, 5 turquoise, 6 green, 7 l. grey, 8 d. grey | 2820 | 30 000 | III | |
| Poodle | 1 cream, 2 l.grey, 3 beige, 4 ash | <u> </u> | >50 000 | III | / |
| Sneak | 1 natural, 2 grey-beige, 3 l.turqise, 4 l.grey, 6 grey, 6 anthracite | | 38 000 | III | |
| Timber | 1 l. beige, 3 grey brown, 4 greige, 5 ocean blue, 6 cream, 7 soft brown, 8 sunny yellow, 9 forest green, 10 d. grey, | | 80 000 | III | |
| Bellis | 1 l.grey, 2 d.grey, 3 d.blue, 4 d.green, 5 orange, 6 mustard, 7 powder pink, 8 grey, 9 turquoise | | >100 000 | IV | Olean. |
| Bloom | 1 cream, 2 teddy brown, 3 warm yellow, 4 pale orange, 5 warm red, 6 green, 7 blue, 8 grey, 9 midnight blue | | 80 000 | IV | |
| Buddy | 1 l.beige, 2 l.grey, 3 warm beige, 4 caramel, 5 chocolate brown, 6 black, 7 green | | >200 000 | IV | √ deau |
| Calypso | 1 natural, 2 beige, 3 grey-beige, 4 khaki green, 5 blue, 6 grey, 7 d.orange | <u></u> | 60 000 | IV | Cleau, |
| Classic Velvet | 4 l. grey, 5 grey, 6 anthracite, 11 d. blue, 12 navy blue, 16 yellow, 17 pink, 18 raspberry pink, 21 caramel, 22 teddy brown, 19 rust, 20 deep orange, 23 fango, 24 warm beige, 25 garden green, 26 forest green, 27 deep green, 28 turquoise, | ×××××××××××××××××××××××××××××××××××××× | 100 000 | IV | |
| Drom | 01 creme, 02 beige, 11 l. brown, 12 brown, 63 violet, 40 turquoise, 54 grey, 55 black | <u> </u> | 61 000 | IV | / |
| Heather | 1 natural, 2 l. beige, 3 beige, 4 l. brown, 5 copper brown, 6 olive brown, 7 mustard green, 8 steel grey | | 50 000 | IV | |
| Iris | 1 natural, 2 gold beige, 3 grey-beige, 4 yellow, 5 orange, 6 green, 7 jeans blue, 8 l. grey, 9 d. grey | | 50 000 | IV | |
| Lilac | 1 natural, 2 beige, 3 l.grey, 4 yellow, 5 orange, 6 wine red, 7 d.green, 8 turquoise 9 blue, 10 grey | <u>™</u> ×⊠≥® | 60 000 | IV | cleau |
| Malibu Velvet | 1 l.grey, 2 grey, 3 l.turquoise, 4 turquoise, 5 blue, 6 grey-beige, 7 beige, 8 powder pink, 9 salomon, 10 yellow, 11 green | 8888 | 70 000 | IV | |
| Moss | 1 mustard, 2 d.green, 3 orange, 4 d.brown, 5 d.grey, 6 natural, 7 cold beige, 9 l. brown, 10 l. grey, 12 anthracite, 13 blue, 14 d. blue | 8888 | 25 000 | IV | |
| Nori | 1 natural, 2 l. grey, 3 grey-beige, 4 l. turquoise, 5 turquoise, 6 ocean blue, 7 green | 8888 | 50 000 | IV | SEAQUAL INITIATIVE |
| Sky | 1 off white, 2 l.grey, 3 greige, 5 anthracite, 6 blue, 7 gold beige, 7 green | 8888 | >100 000 | IV | Greencare. |



| FABRIC | COLOR | CARE INSTRUCTION | MARTIN- DALE | PRICE GROUP | CONFIDENCE IN TEXTILES Tested for harmful substances coording to Oeto Tex* Stordard 100 0000000000000000000000000000000000 |
|------------|---|---------------------|-----------------|----------------|---|
| Togo | 1 natural, 2 beige, 3 l.brown, 4 silver, 5 turquoise, 6 grey-brown 7 d.grey | <u> 9</u> | 35 000 | IV | |
| Tweedy | 1 natural, 2 beige, 3 l.brown, 4 brown, 5 black-white, 6 blue, 7 turquoise | <u> </u> | 35 000 | IV | |
| Wildflower | 1 cream, 2 cold beige, 3 teddy brown, 4 caramel, 5 warm yellow, 6 nude 7 pale rust, 8, dusty pink, 9 raspeberry pink, 10 l. grey, 11 grey, 12 midnight blue 13 forest green | <u> </u> | 25 000 | IV | |

| LEATHER | COLOR | PRICE GROUP |
|---------|--|----------------|
| Matrix | white, granit, I. brown, d. brown, espresso, I. grey, d. grey, black | LEATHER |
| Touch | 1 l.beige, 2 white, 3 grey-beige, 4 stone, 5 d.grey, 6 black, 7 brown, 8 cognac, 9 d.brown | LEATHER |



